







INr	Ort	Stk.	Objekt, Beschreibung
1		1	<p>Vollautomatische Abfüll- u. Verpackungsanlage (die Anlage kann insbesondere zur Abfüllung und Verpackung von Mundwasser, Flüssigseife, Haarshampoo, Duschgel, Rasierwasser, Kosmetik - Produkte, etc. verwendet werden), bestehend aus:</p> <ol style="list-style-type: none"> <li>1.1. 1 Vollautomat. Anlage, für Packungsgröße 10-100 ml Volumen, Fabrikat Tölke, mit elektronischer Steuerung Siemens, Flaschenaufsteller DSFN1500 T20 - Aufstellen der Flaschen mit Boden unten, Flaschenausrichter AR TK T8 - Ausrichten der Flaschen mit richtiger Seite vorne, Flaschensiloanlage mit automat. Flaschenzuführung, Förderband SKF,</li> <li>1.2. SKF Förderband, L ca. 2,0 lfm.,</li> <li>1.3. 1 Drucker EBS Inkjet Drucktechnik EBS 6000 mini, Beschriftung des Flaschenbodens zweizeilig (Chargen-Nr. u. Verbrauchsfrist), Beschriftung von unten elektronisch gesteuert</li> </ol>


INr	Ort	Stk.	Objekt, Beschreibung
2		1	<p>Füllmaschine Bosch, 12-stelliger Rundläufer, Type FRK5120C, Dosierbereich: Edelstahlpumpen 1.4401 mit Laufflächen aus Keramik, dichtungslos, Füllmenge 10-100 ml, Behälter-Dm. 25-85mm, H 50-200mm, rund, oval oder eckig, Mündungs-Dm. 4mm bis 30mm, Ausbringung 80-220 Stk./min., mit Hochbehälter 40 lt. u. Füllpumpe automatisch, automatisches Reinigungssystem CIP/SIP, elektronische Steuerung Siemens</p>


INr	Ort	Stk.	Objekt, Beschreibung
2		1	<p>Verschließmaschine, Fabrikat Bosch, Type VRM7060, 6-stelliger Rundläufer, Schraubverschließer oder Aufdrücker, Verschlüsse Dm. 10-60mm, H 10-45mm, automatische Fehlerausscheidung, Ausbringung bis 260 Stk./min., mit automatischem Zuführungssystem der Verschlüsse, elektronische Steuerung Siemens FOTO siehe Vorposition</p>
2		1	<p>Förderband SKF, L ca. 2,0 lfm.</p>

INr	Ort	Stk.	Objekt, Beschreibung
3		1	Etikettiermaschine, Fabrikat Schrott, Type LAT1100, zur Aufbringung von Werbeetiketten

INr	Ort	Stk.	Objekt, Beschreibung
4		1	<p>Schrumpffolienautomat, Fabrikat Intersleeve, Type SA750, für Einzelfolienverpackung mit Endlosschlauchfolie, komplett mit Förderband u. 2 Stk. Heizgebläse, Vollautomat, elektronisch gesteuert</p>

INr	Ort	Stk.	Objekt, Beschreibung
5		1	<p>Verpackungsmaschine Schrutts, für Einzelverpackung in Kartons zu je 50 oder 100 Stk., einstellbar auf versch. Behälter u. Kartongrößen, Type SPC10, Vollautomat, pneumatisch mit elektronischer Steuerung Siemens u. Leimstation, Fabrikat Nordson, Series 3400</p>

INr	Ort	Stk.	Objekt, Beschreibung
6		1	<p>Verpackungsmaschine Schrutts, für Überkartons, Type SPC10, Vollautomat, pneumatisch, mit elektronischer Steuerung Siemens, mit Leimstation Nordson 3400 V</p>

INr	Ort	Stk.	Objekt, Beschreibung
7		1	<p>Blistermaschine, Fabrikat Wenz, Type WM120, für Einzelverpackung auf Blisterkarte, Vollautomat, pneumatisch, u. elektronisch gesteuert</p>

INr	Ort	Stk.	Objekt, Beschreibung
8		1	Kaeser Schraubenkompressor, mit Kältetrockner, Type Airtower 8

1 1 Fully automatic filling-and packaging system (the system is especially suitable for filling and packaging of mouthwash, liquid soap, hair shampoo, shower gel, aftershave, cosmetic products etc),

which consists of:

1.1. 1 Fully automatic system, for packaging sizes of 10-100 ml volume, Tölke make, with Siemens electronic control, bottle placing machine DSFN1500 T20 – placing bottles with their bottoms down, bottle positioning device AR TK T8 – positioning bottles with the right side frontward, bottle hopper with automatic bottle delivery, conveyor belt SKF,

1.2. SKF conveyor belt, length about 2.0 running meters,

1.3. 1 printer EBS Inkjet printing technology EBS 6000 mini, marking on the bottle bottom double-spaced (charge number and best before date), marking electronically controlled from below)

2 1 Filling machine Bosch, 12-stage rotary table machine, type FRK5120C, dosing range: pumps of stainless steel 1.4401 with ceramic contact surfaces, gasket-free, fill-up quantity of 10-100 ml, repository-diameter 25-85mm, height 50-200mm, round, oval or angular, orifice diameter 4mm to 30mm, output 80-220 items/min, with elevated tank 40 lt. and filling pump, automatic cleaning system CIP/SIP, Siemens electronic control

1 Sealing machine, Bosch make, type VRM7060, 6-stage rotary table machine, capping machines: twist-off or pressed crown caps, sealing diameter 10-60mm, height 10-45mm, automatic

error elimination, output up to 260 items/min., with automatic cap delivery system, electronic control Siemens, photo see item above

1 Conveyor belt SKF, length about 2.0 running meters

3 1 Labelling machine, Schrutt make, type LAT1100, for application of advertising labels

4 1 Shrink wrap machine, make Intersleeve, type SA750, for individual foil packaging with endless flexible tube, including conveyor belt and 2 heater fans, fully automatic, electronically controlled

5 1 Packaging machine Schrutt, for individual packaging in cardboard boxes containing 50 or 100 items each,

Adjustable to different container- or cardboard box sizes, type SPC10, fully automatic, pneumatic with Siemens electronic control and adhesive application system, Nordson make, series 3400

6 1 Packaging machine Schrutt, for individual packaging in cardboard boxes containing 50 or 100 items each, adjustable to different container- or cardboard box sizes, type SPC10, fully automatic, pneumatic with Siemens electronic control and adhesive application system, make Nordson, series 3400

7 1 Blister machine, Wenz make, type WM120, for individual blister card packaging, fully automatic, pneumatic and electronic control

8 1 Kaeser Aircompressor with Airdryer Typ Airtower 8